

# Interpreter Booth



**GONSIN®**



# Interpreter Booth

The Interpreter Booth is designed with ergonomic principles, featuring innovative and practical functionalities to provide translators with the optimal working environment. Its unique assembly system enables quick and easy setup, disassembly, and transportation. Developed specifically for the high-tech industry, the product offers outstanding sound insulation and echo cancellation effects, meeting and surpassing ISO standards for mobile interpreter booths, and fulfilling the requirements of most conference settings.

## 1-Person Interpreter Booth **GX-SIB01-T**



## Features

- Aluminum alloy structure, factory modular production.
- Equipped with 8 panels, each panel made of soundproof and fireproof materials, compliant with UL-723 flame retardant standard; interior covering material is soundproof textile, 100% polyester fiber, 9mm cotton fiber, weaving density 60g per meter.
- On-site self-assembly, convenient and quick assembly, easy disassembly without any tools (installation/disassembly time ≤10 minutes).
- Equipped with a movable flight case, high mobility, flexible and easy to use.
- Roof panel integrated ventilation system, ensuring good ventilation, smooth airflow, odorless safety, and maintaining low noise.
- Utilizes ultra-quiet magnetic door lock system, avoiding noise generated by mechanical systems.
- Features excellent sound insulation and absorption capabilities.
- Compliant with ISO-4043 standard (2016 International Standard).

## Technical Parameters

Main material	High-density fireproof plywood, aluminum alloy frame, acrylic glass, soundproof cotton
Color	Light gray
Accessory	Removable table, 2 x 38dB silent fans (110/220V), flight case with wheels
Option	Air conditioner, acoustic flooring, interior partition system, customized dimensions
External dimensions (L×D×H)	1260×1660×2030mm
Internal dimensions (L×D×H)	1200×1600×2000mm
Table size (L×D)	1200×500mm
Dimensions of flight case (L×W×H)	2060×520×1370mm
Net weight	90KG
Gross weight	170KG(packed in flight case)

**2-Person Interpreter Booth GX-SIB02-T**



## Features

- Aluminum alloy structure, factory modular production.
- Equipped with 11 panels, each panel made of soundproof and fireproof materials, compliant with UL-723 flame retardant standard; interior covering material is soundproof textile, 100% polyester fiber, 9mm cotton fiber, weaving density 60g per meter.
- On-site self-assembly, convenient and quick assembly, easy disassembly without any tools (installation/disassembly time ≤10 minutes).
- Equipped with a movable flight case, high mobility, flexible and easy to use.
- Roof panel integrated ventilation system, ensuring good ventilation, smooth airflow, odorless safety, and maintaining low noise.
- Utilizes ultra-quiet magnetic door lock system, avoiding noise generated by mechanical systems.
- Features excellent sound insulation and absorption capabilities.
- Compliant with ISO-4043 standard (2016 International Standard).

## Technical Parameters

Main material	High-density fireproof plywood, aluminum alloy frame, acrylic glass, soundproof cotton
Color	Steel gray
Accessory	Removable table, 2 x 38dB silent fans (110/220V), flight case with wheels
Option	Air conditioner, acoustic flooring, interior partition system, customized dimensions
External dimensions (L×D×H)	1660×1660×2030mm
Internal dimensions (L×D×H)	1600×1600×2000mm
Table size (L×D)	1600×500mm
Dimensions of flight case (L×W×H)	2060×620×1070mm
Net weight	130KG
Gross weight	220KG (packed in flight case)

**3-Person Interpreter Booth GX-SIB03-T**



## Features

- Aluminum alloy structure, factory modular production.
- Equipped with 13 panels, each panel made of soundproof and fireproof materials, compliant with UL-723 flame retardant standard; interior covering material is soundproof textile, 100% polyester fiber, 9mm cotton fiber, weaving density 60g per meter.
- On-site self-assembly, convenient and quick assembly, easy disassembly without any tools.
- Equipped with a movable flight case, high mobility, flexible and easy to use.
- Roof panel integrated ventilation system, ensuring good ventilation, smooth airflow, odorless safety, and maintaining low noise.
- Utilizes ultra-quiet magnetic door lock system, avoiding noise generated by mechanical systems.
- Features excellent sound insulation and absorption capabilities.
- Compliant with ISO-4043 standard (2016 International Standard).

## Technical Parameters


Main material	High-density fireproof plywood, aluminum alloy frame, acrylic glass, soundproof cotton
Color	Light gray
Accessory	Removable table, 2 x 38dB silent fans (110/220V), flight case with wheels
Option	Air conditioner, acoustic flooring, interior partition system, customized dimensions
External dimensions (LxDxH)	2460x1660x2030mm
Internal dimensions (LxDxH)	2400x1600x2000mm
Table size (LxD)	2400x500mm
Dimensions of flight case (LxWxH)	2070x580x1060mm
Net weight	175KG
Gross weight	280KG(packed in flight case)

## LED Light GX-SIB LED



## Features

- LED light power: 7W, suitable for use in interpreter booths.



GONSIN CONFERENCE EQUIPMENT CO.,LTD.  
www.gonsin.com



English Wechat



All rights reserved. The information and specifications included are subject to change without prior notice.